



# MUSE 2 | Wireless

**Unified Communication Microphone with Inbuilt Speaker**  
Highly Sensitive 2.4GHz Wireless Microphone with 360° Pickup

# MUSE 2 | Wireless

## Unified Communication Microphone with Inbuilt Speaker

### Highly Sensitive 2.4GHz Wireless Microphone with 360° Pickup

MUSE 2 WIRELESS is professional Wired and Wireless wideband conferencing speakerphone. It adopts the latest Sonic Clear IV High Definition voice processing technology, offering unmatched crystal clear conferencing experience. Instantly replace your traditional PC, Laptop or any Video conference terminal's speaker and microphone with crystal clear sound eliminating echo and distortion. It is suitable for small to medium enterprises, office professionals, distance education, huddle rooms, meeting rooms and business travellers for personal or small group conference calls. You can cut down on wire clutter with traditional sources using MUSE 2 WIRELESS instead.

## Highlights and Features

2.4 GHz Wireless Speakerphone

Built-in high-fidelity all-pointing microphone offers 360 degree audio pickup

Full duplex Audio

Acoustic Echo cancellation

Noise reduction removes ambient room noise

Advanced DSP technology delivers remarkably rich, crystal-clear audio

Immersive sound for calls

Wideband Frequency Response

4 hours talk time ( Wireless)

Microphone sensitivity up to 4 meters

USB Interface (For Wired Communication)

Gets Charged during Wired Operation

Support 3.5mm line output. Connect external headphones or speakers

Works with most Unified Communication Applications and Video Conference Endpoints.

## Applications

Video Conferencing

Unified Communications

Meeting Rooms

Huddle Rooms

Remote Business Meetings

Distance Learning

Tele-Medicine



# Specifications

Interface	USB Interface, 3.5mm audio Output
Microphone Type	Omni-Directional
Microphone Sensitivity	4M
Frequency Response (Microphone)	100 Hz – 22000 HZ
Echo Tail Length	≥500ms
Noise Reduction ( Bi-directional)	<25dB
Automatic Gain Control	Yes
Speaker Output ( Max)	95 dB
Frequency Response (Speaker)	100 Hz – 22000 HZ
Operating System	Windows , MacOS, Android
Power Supply	5V/500mA
Operating Temperature	0~40° C
Operating Humidity	20-85%
Physical Dimensions (Device)	141(D) x 141(D) x 42mm(H)
Physical Dimensions (Packing)	192 (L) x 192 (W) x 90mm (H)
Weight (Device)	260 gm
Weight (Packing)	500 gm
Accessories	1.8m USB Type A Male to USB Micro cable, Power Adaptor



For inquiry email us on  
[info@adonisav.com](mailto:info@adonisav.com)

